



2024
A NEW ERA



OF CROSSBOW PRECISION

TABLE OF CONTENTS

A NEW ERA.....	4-5
NEW TRX 515™.....	6-7
NEW TX 440™.....	8-9
NITRO 505™.....	10
FLATLINE 460™.....	10
STEALTH 450™.....	11
NEW SIEGE 425™.....	11
VIPER 430™.....	12
TURBO S1™.....	12
NEW VENOM X™.....	13
NEW TITAN 400™.....	13
TENPOINT™ SPECIFICATIONS.....	14-15
WICKED RIDGE.....	16
FURY 410™ DE-COCK.....	17
RAIDER 400™ DE-COCK.....	17
NEW RDX 410™.....	18
NEW INVADER M1™.....	18
RAMPAGE XS™.....	19
NEW COMMANDER M1™.....	19
WICKED RIDGE SPECIFICATIONS.....	20-21
NOCKS / LIGHTED NOCKS.....	22
ARROWS / LIGHTED ARROWS.....	23
ACCESSORIES.....	24-26
STRING & CABLE CHART.....	27



OF CROSSBOW PRECISION



TO OUR CUSTOMERS

From the beginning, our passion for bowhunting & innovation has fueled us in looking to the future, always asking "what-if" & searching for ways to help our customers be more successful in the field.

Even now, having shipped over 1 million crossbows since 1994, the same guiding principles that drove our company then, continue to drive us today - Family Owned & Built in America.

Our commitment to these principles allows us to design, engineer, & build better crossbows than large multi-brand corporations who don't truly know & love the sport. From ownership & management to our skilled team of employees, we are passionate bowhunters who understand the hunt boils down to a game of inches, & we take great pride in being part of your success.

From top-to-bottom, our 2024 lineup breaks boundaries & sets new standards in crossbow speed, accuracy, durability, & performance. As we usher in A New Era, you will find that our lineup not only includes the fastest crossbows in the world & the most compact hunting systems on the market, but also budget-friendly, performance-driven crossbows. Simply put, our 2024 lineup has a crossbow for everyone at every budget, & we look forward to sharing in your success this year!

Good Hunting,

RICK BEDNAR
Executive Chairman

PHIL BEDNAR
President | CEO

STEVE BEDNAR
Executive Vice President | COO





A NEW ERA

NEW ACU-LOCK™ SCOPE BRIDGE
 25x stronger than traditional scope rails, the **NEW** ACU-Lock Scope Bridge provides the ultimate foundation for scope stability. The full-length, dual-mounted, machined aluminum bridge allows for more scope adjustment, heavier scope options & provides maximum in-the-field durability.


NEW CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK
NEW Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.



NEW ACUSLIDE MAXX™ (PATENTED)
 The pinnacle of crossbow cocking & de-cocking. Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.


NEW AR-STYLE AMBIDEXTROUS THUMB SAFETY
 Conveniently located directly above your firing hand, the safety is effortlessly activated & deactivated with the thumb – allowing you to keep both hands on the crossbow & eyes locked on your game.

T TRIGGERTECH
NEW TRIGGERTECH PRECISION TRIGGER
 Each facet of the TRX 515 & TX 440 is designed to extract every millimeter of accuracy from the crossbow, including a newly developed custom hand-built TriggerTech Trigger. Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.



NEW TWIN-RISER TECHNOLOGY™ (TRT)
 Foundation of lethal accuracy. 41% lighter & 2x stiffer than traditional risers, **NEW** Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

NEW ZERO-TRAC BARREL
 Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.



NEW GUIDE-LOCK™ ARROW REST SYSTEM
 Features three points of contact for security & stability. The arrow rests on two, "never-wear" spring-loaded ball-bearings & is held securely in place by a top-mounted retention brush – giving you durability, longevity, & maximum precision at any distance.

NEW TRX 515™
 PAGES 6-7



NEW TX 440™
 PAGES 8-9



NEW TRX 515™

THE WORLD'S FASTEST, MOST ACCURATE, & TECHNOLOGICALLY ADVANCED CROSSBOW.

SPEED **515** FPS
 WIDTH **6** INCHES
 LENGTH **29** INCHES

AVAILABLE FINISHES
 VEKTRA™
 MOSS GREEN



- LIMITED LIFETIME WARRANTY
- ACU-LOCK™ SCOPE BRIDGE
- TRIGGERTECH
- FACTORY PRE-SIGHTED
- SHIPS FULLY ASSEMBLED
- BUILT IN AMERICA MOGADORE, OHIO

TRX 515™

NEW ACU-LOCK SCOPE BRIDGE
 25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

NEW TWIN-RISER TECHNOLOGY
 41% lighter & 2x stiffer than traditional risers – resulting in reduced riser flex & limb torque for unmatched accuracy.

TRIGGERTECH PRECISION TRIGGER
 Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

NEW CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK
 NEW Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.


NEW AR-STYLE AMBIDEXTROUS THUMB SAFETY
 Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

NEW ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM
 Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

NEW ACUSLIDE MAXX COCKING & DE-COCKING SYSTEM (patented)
 Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.

REVERSE-DRAW DESIGN
 Generates more speed with less draw weight for a smoother shot, while providing superior balance for increased accuracy.

ULTRA-NARROW 6-INCHES WIDE



EXTEND YOUR EFFECTIVE RANGE WITH RANGEFINDING SCOPES

TRX 515™ XERO®

ELEVATED CUSTOM CHEEK PIECE
 Provides perfect eye alignment with XERO® X1i Scope.

RANGE BUTTON
 Generate exact range & aiming point with the press of a button.



GARMIN. XERO. X1i

The Garmin® XERO® X1i crossbow scope with built-in laser range finder is the first of its kind. This auto-ranging digital scope with 3.5X magnification automatically measures distance to a target with the press of a single button. Forget the days of gap shooting, precise illuminated aim points automatically adjust for both distance & brightness conditions to allow you to see your target, unobstructed by reticle patterns.

TRX 515™ ORACLE X™

ELEVATED CUSTOM CHEEK PIECE
 Provides perfect eye alignment with Oracle X™ Scope.

RANGE BUTTON
 Generate exact range & aiming point with the press of a button.



Burris ORACLE X

Built on a decade of experience with rangefinding optics, the Oracle X™ features a built-in laser range finder that is activated via the wireless remote or the range button on the scope. At the push of a button, the Oracle X™ instantly displays the distance to your target & provides an exact aim point factoring in the angle of your shot. The aim point will remain accurate no matter where you are within the 2-7 power zoom range! The Oracle X™ is backed by Burris' "No Questions Asked" Forever Warranty.

AVAILABLE FINISH
 VEKTRA™



- LIMITED LIFETIME WARRANTY
- ACU-LOCK™ SCOPE BRIDGE
- TRIGGERTECH
- SHIPS FULLY ASSEMBLED



NEW TX 440™

THE MOST TECHNOLOGICALLY ADVANCED COMPACT CROSSBOW THE WORLD HAS EVER SEEN.

SPEED **440** FPS
 WIDTH **6.5** INCHES
 LENGTH **28** INCHES

AVAILABLE FINISHES
 VEKTRA™
 MOSS GREEN



- LIMITED LIFETIME WARRANTY
- ACU-LOCK™ SCOPE BRIDGE
- TRIGGERTECH
- FACTORY PRE-SIGHTED
- SHIPS FULLY ASSEMBLED
- BUILT IN AMERICA
MORGANTHAU, OHIO

NEW ACU-LOCK SCOPE BRIDGE
 25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

NEW TWIN-RISER TECHNOLOGY
 18% lighter & 2x stiffer than traditional risers – resulting in reduced riser flex & limb torque for unmatched accuracy.

TRIGGERTECH PRECISION TRIGGER
 Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

NEW CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK
 NEW Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

NEW AR-STYLE AMBIDEXTROUS THUMB SAFETY
 Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

NEW ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM
 Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

NEW ACUSLIDE MAXX COCKING & DE-COCKING SYSTEM (Patented)
 Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.

ULTRA-NARROW 6.5-INCHES WIDE



EXTEND YOUR EFFECTIVE RANGE WITH RANGEFINDING SCOPES



TX 440™ XERO®

ELEVATED CUSTOM CHEEK PIECE
 Provides perfect eye alignment with XERO® X1i Scope.

RANGE BUTTON
 Generate exact range & aiming point with the press of a button.

GARMIN. XERO. X1i

The Garmin® XERO® X1i crossbow scope with built-in laser range finder is the first of its kind. This auto-ranging digital scope with 3.5X magnification automatically measures distance to a target with the press of a single button. Forget the days of gap shooting, precise illuminated aim points automatically adjust for both distance & brightness conditions to allow you to see your target, unobstructed by reticle patterns.

TX 440™ ORACLE X™

ELEVATED CUSTOM CHEEK PIECE
 Provides perfect eye alignment with Oracle X™ Scope.

RANGE BUTTON
 Generate exact range & aiming point with the press of a button.

Burris ORACLE X

Built on a decade of experience with rangefinding optics, the Oracle X™ features a built-in laser range finder that is activated via the wireless remote or the range button on the scope. At the push of a button, the Oracle X™ instantly displays the distance to your target & provides an exact aim point factoring in the angle of your shot. The aim point will remain accurate no matter where you are within the 2-7 power zoom range! The Oracle X™ is backed by Burris' "No Questions Asked" Forever Warranty.



AVAILABLE FINISH
 VEKTRA™

- LIMITED LIFETIME WARRANTY
- ACU-LOCK™ SCOPE BRIDGE
- TRIGGERTECH
- SHIPS FULLY ASSEMBLED



NITRO 505™

INDUSTRY CHANGING SPEED & POWER.

AVAILABLE FINISHES



SPECIFICATIONS

SPEED **505** FPS WIDTH **6.5** INCHES LENGTH **30.5** INCHES



SCOPE STRUTS
Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

ACUSLIDE COCKING & DE-COCKING SYSTEM
Provides silent cocking & safe de-cocking.

REVERSE-DRAW DESIGN
Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

S1 TRIGGER
2-stage, zero-creep design features a roller sear system for greater trigger control & precision down-range accuracy.

100-YARD EVO-X™ MARKSMAN™ ELITE SCOPE
Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 550 FPS.

SENTRY BOWHANGER
Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

FLATLINE 460™

THE FASTEST COMPACT CROSSBOW EVER.

AVAILABLE FINISH



SPECIFICATIONS

SPEED **460** FPS WIDTH **7.5** INCHES LENGTH **26.5** INCHES



SCOPE STRUTS
Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

ACUSLIDE COCKING & DE-COCKING SYSTEM
Provides silent cocking & safe de-cocking.

REVERSE-DRAW DESIGN
Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

S1 TRIGGER
2-stage, zero-creep design features a roller sear system for greater trigger control & precision down-range accuracy.

100-YARD EVO-X™ MARKSMAN™ ELITE SCOPE
Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 550 FPS.

SENTRY BOWHANGER
Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

STEALTH 450™

OUR FASTEST FORWARD DRAW CROSSBOW EVER.

AVAILABLE FINISH



SPECIFICATIONS

SPEED **450** FPS WIDTH **6.5** INCHES LENGTH **33** INCHES



SCOPE STRUTS
Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

ACUSLIDE COCKING & DE-COCKING SYSTEM
Provides silent cocking & safe de-cocking.

S1 TRIGGER
2-stage, zero-creep design features a roller sear system for greater trigger control & precision down-range accuracy.

100-YARD EVO-X™ MARKSMAN™ ELITE SCOPE
Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 550 FPS.


SENTRY BOWHANGER
Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

NEW SIEGE 425™

SPEED & PERFORMANCE FROM A MICRO-FOOTPRINT NEVER FELT SO COMFORTABLE.

AVAILABLE FINISHES



SPECIFICATIONS

SPEED **425** FPS WIDTH **7.5** INCHES LENGTH **26.5** INCHES



SCOPE STRUTS
Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

ACUSLIDE COCKING & DE-COCKING SYSTEM
Provides silent cocking & safe de-cocking.

REVERSE-DRAW DESIGN
Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

S1 TRIGGER
2-stage, zero-creep design features a roller sear system for greater trigger control & precision down-range accuracy.

100-YARD RANGEMASTER™ 100 SCOPE
Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 505 FPS.

SENTRY BOWHANGER
Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.


SHIPS FULLY ASSEMBLED



VIPER 430™

SUPERCHARGED BEST-SELLER WITH 100-YARD ACCURACY.

AVAILABLE FINISHES



**ULTRA-NARROW
6.5-INCHES WIDE**



SPECIFICATIONS

SPEED **430** FPS WIDTH **6.5** INCHES LENGTH **33** INCHES



SCOPE STRUTS
Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

100-YARD RANGEMASTER 100 SCOPE

Variable speed scope offers aimpoints out to 100-yards & built for speeds up to 505 FPS.

INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking.

S1 TRIGGER

2-stage, zero-creep design features a roller sear system for greater trigger control & precision down-range accuracy.

SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

TURBO S1™

THE MOST AFFORDABLE HIGH-END CROSSBOW.

AVAILABLE FINISHES



7.2-INCHES WIDE



SPECIFICATIONS

SPEED **400** FPS WIDTH **7.2** INCHES LENGTH **31** INCHES

ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking.

100-YARD RANGEMASTER 100 SCOPE

Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 505 FPS.

INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

S1 TRIGGER

2-stage, zero-creep design features a roller sear system for greater trigger control & precision down-range accuracy.

SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

NEW VENOM X™

LIGHTEST & LOWEST-PRICED ACUSLIDE CROSSBOW EVER.

AVAILABLE FINISHES



9.75-INCHES WIDE



SPECIFICATIONS

SPEED **390** FPS WIDTH **9.75** INCHES LENGTH **32.5** INCHES



SCOPE STRUTS
Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

NEW 70-YARD PRO-VIEW 400 SCOPE

Offers aimpoints out to 70-yards & features an updated reticle for a cleaner view & greater down-range accuracy.

BOW HOOK

Easily hang your bow in the stand.

ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking.

S1 TRIGGER

2-stage, zero-creep design features a roller sear system for greater trigger control & precision down-range accuracy.

LIGHTWEIGHT 6.9 POUNDS & COMPACT PROFILE

More mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

SHIPS FULLY ASSEMBLED


NEW TITAN 400™

OUR ALL-TIME BEST-SELLING CROSSBOW, NOW 400 FPS WITH SILENT COCKING.

AVAILABLE FINISH



9.75-INCHES WIDE



SPECIFICATIONS

SPEED **400** FPS WIDTH **9.75** INCHES LENGTH **33** INCHES

NEW ACUDRAW SILENT™

Easiest ACUdraw to operate – providing silent cocking & reducing the draw weight to just 5 lbs. for easy & effortless cocking.

NEW 70-YARD PRO-VIEW 400 SCOPE

Offers aimpoints out to 70-yards & features an updated reticle for a cleaner view & greater down-range accuracy.

BOW HOOK

Easily hang your bow in the stand.

LIGHTWEIGHT 6 LBS. & COMPACT PROFILE

More mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

SHIPS FULLY ASSEMBLED

VIPER 430™

TURBO S1™

VENOM X™

TITAN 400™





	NEW TRX 515 SAFE DE-COCKING	NITRO 505 SAFE DE-COCKING	FLATLINE 460 SAFE DE-COCKING	NEW TX 440 SAFE DE-COCKING	STEALTH 450 SAFE DE-COCKING	NEW SIEGE 425 SAFE DE-COCKING	VIPER 430 SAFE DE-COCKING	TURBO S1 SAFE DE-COCKING	NEW VENOM X SAFE DE-COCKING	NEW TITAN 400
LENGTH WITHOUT FOOT-STIRRUP	29"	30.5"	26.5"	28"	33"	26.5"	33"	31"	32.5"	33"
WIDTH UNCOCKED / COCKED	12" / 6"	12" / 6.5"	12" / 7.5"	11" / 6.5"	11" / 6.5"	12" / 7.5"	11" / 6.5"	11" / 7.2"	13" / 9.75"	13" / 9.75"
POWER STROKE	16"	17"	13.5"	12"	13"	13.5"	13"	11"	11.75"	12"
DRAW WEIGHT	300	300	300	300	300	220	250	220	215	215
WEIGHT WITHOUT ACCESSORIES OR STIRRUP	7.2 lbs. (w/ACUslide MAXX)	7.9 lbs. (w/ACUslide)	7.5 lbs. (w/ACUslide)	7.2 lbs. (w/ACUslide MAXX)	7.5 lbs. (w/ACUslide)	7.5 lbs. (w/ACUslide)	7.5 lbs. (w/ACUslide)	7.3 lbs. (w/ACUslide)	6.9 lbs. (w/ACUslide)	6 lbs. (w/out ACUdraw Silent)
PERFORMANCE										
FEET-PER-SECOND / FOOT-POUNDS KE										
PRO ELITE 400 410-GRAINS	515 / 241	505 / 232	N/A	440 / 176	450 / 184 (Supplied arrow speed / KE)	N/A	430 / 168 (Supplied arrow speed / KE)	400 / 146 (Supplied arrow speed / KE)	390 / 138 (Supplied arrow speed / KE)	400 / 146 (Supplied arrow speed / KE)
EVO-X CENTERPUNCH 16 410-GRAINS	N/A	N/A	460 / 193 (Supplied arrow speed / KE)	N/A	N/A	425 / 164 (Supplied arrow speed / KE)	N/A	N/A	N/A	N/A
EVO-X CENTERPUNCH 445-GRAINS	N/A	485 / 232 (Supplied arrow speed / KE)	N/A	N/A	430 / 183	N/A	410 / 166	380 / 143	370 / 135	380 / 143
EVO-X CENTERPUNCH HPX 445-GRAINS	495 / 242 (Supplied arrow speed / KE)	485 / 232	N/A	420 / 174 (Supplied arrow speed / KE)	430 / 183	N/A	410 / 166	380 / 143	370 / 135	380 / 143
COCKING DEVICE	ACUslide MAXX	ACUslide	ACUslide	ACUslide MAXX	ACUslide	ACUslide	ACUslide	ACUslide	ACUslide	ACUdraw Silent
PACKAGE INCLUDES	Quiver 3 EVO-X HPX Arrows	Quiver 6 EVO-X Arrows	Quiver 6 EVO-X Arrows	Quiver 3 EVO-X HPX Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 EVO-X 16 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows
SCOPE, FINISH, & ITEM NUMBER	Garmin® XERO® X1i: Vektra: CB24001-7879	Garmin® XERO® X1i: Veil Alpine™: CB22005-6179	Burris® Oracle X™: Veil Alpine™: CB23008-6869	Garmin® XERO® X1i: Vektra: CB24002-7879	Burris® Oracle X™: Veil Alpine™: CB23019-6869	RangeMaster 100: Vektra: CB24012-7549 Moss Green: CB24012-1549	RangeMaster 100: Vektra: CB23015-7549 Moss Green: CB23015-1549	RangeMaster Pro: Vektra: CB22020-7519 Moss Green: CB22020-1519	Pro-View 400: Vektra: CB24007-7559 Moss Green: CB24007-1559	Pro-View 400: Vektra: CB24047-7556
	EVO-X Marksman Elite: Vektra: CB24001-7899 Moss Green: CB24001-1899	EVO-X Marksman Elite: Veil Alpine™: CB22005-6189 Moss Green: CB22005-1199	EVO-X Marksman Elite: Veil Alpine™: CB23008-6889	EVO-X Marksman Elite: Vektra: CB24002-7899 Moss Green: CB24002-1899	EVO-X Marksman Elite: Veil Alpine™: CB23019-6889					





BUILT RIGHT. RIGHT HERE.™

AMERICA-BUILT CRAFTSMANSHIP YOU CAN DEPEND ON.

DE-COCKING STARTING AT \$749.99

BUILT-IN COCKING DEVICES
Easiest to operate & nothing to forget.

BUDGET FRIENDLY CROSSBOWS
packed with features & performance that separate us from imported crossbows.

BUILT IN AMERICA
MOGADORE, OHIO

THE ONLY AMERICAN-BUILT CROSSBOWS
FROM \$499 - \$1,099.



FURY 410™ DE-COCK

RAIDER 400™ DE-COCK

FURY 410™ DE-COCK

VALUE-PRICED DE-COCKING WITH REVERSE-DRAW SPEED.

AVAILABLE FINISH



PEAK XT™



9-INCHES WIDE



RAIDER 400™ DE-COCK

DE-COCKING STARTING AT \$749.99.


AVAILABLE FINISH



PEAK XT™



15-INCHES WIDE



SPECIFICATIONS

SPEED **410** FPS WIDTH **9** INCHES LENGTH **29** INCHES

ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM
Provides silent cocking & safe de-cocking.

RANGEMASTER PRO SCOPE
Variable speed scope offers aimpoints out to 60-yards & features multi-coated optics for optimal light gathering.

PRE-SIGHTED AT 20-YARDS
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

D1 TRIGGER
2-stage, zero creep design featuring a DFP (Dry-Fire-Prohibitor) deliver a consistent, crisp 3 1/2 - pound pull.

REVERSE-DRAW DESIGN
Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

BUILT IN AMERICA
Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

SHIPS FULLY ASSEMBLED

SPECIFICATIONS

SPEED **400** FPS WEIGHT **5.8** POUNDS LENGTH **31.5** INCHES
with Tactical Stock

AVAILABLE WITH:

XS STOCK WITH ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM
Provides silent cocking & safe de-cocking.

TACTICAL STOCK WITH ROPE-SLED FOR MANUAL DE-COCKING
Locks in six positions & allows for up to 2 1/2" of adjustability in 1/2" increments.

FEATURES:

D1 TRIGGER
2-stage, zero creep design featuring a DFP (Dry-Fire-Prohibitor) deliver a consistent, crisp 3 1/2 - pound pull.

PRO-VIEW LIGHTED SCOPE
Includes lighted colored dots (red & green) with aimpoints out to 60-yards.

PRE-SIGHTED AT 20-YARDS
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

BUILT IN AMERICA
Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 20

30-YEARS OF CROSSBOW PRECISION 17

NEW RDX 410™

OUR BEST-SELLING WICKED RIDGE REVERSE-DRAW. SHORTER. FASTER. SILENT COCKING.

AVAILABLE FINISH



PEAK XT™



9-INCHES WIDE



SPECIFICATIONS

SPEED **410** FPS WIDTH **9** INCHES LENGTH **29** INCHES

NEW ACUDRAW SILENT

Best-in-class crank cocking device provides silent cocking & reducing the draw weight to just 5 lbs. for easy & effortless cocking.

NEW 70-YARD PRO-VIEW 400 SCOPE

Offers aimpoints out to 70-yards & features an updated reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

NEW INVADER M1™

OUR ALL-TIME BEST-SELLING WICKED RIDGE CROSSBOW. NARROWER, SHORTER, & LIGHTER THAN EVER.

AVAILABLE FINISH



PEAK XT™



9.5-INCHES WIDE



SPECIFICATIONS

SPEED **390** FPS WEIGHT **5.8** POUNDS WIDTH **9.5** INCHES

BUILT-IN ACUDRAW

Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

NEW 70-YARD PRO-VIEW 400 SCOPE

Offers aimpoints out to 70-yards & features an updated reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

LIGHTWEIGHT 5.8-POUNDS & COMPACT PROFILE

More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

RAMPAGE XS™

THE ULTIMATE AFFORDABLE HUNTING MACHINE.


AVAILABLE FINISH



PEAK XT™



15-INCHES WIDE



NEW COMMANDER M1™

BUILT-IN COCKING DEVICE. NARROW PROFILE. AMERICAN-BUILT QUALITY AT UNBEATABLE PRICES.

AVAILABLE FINISH



PEAK XT™



9.5-INCHES WIDE



SPECIFICATIONS

SPEED **390** FPS WEIGHT **5.8** POUNDS LENGTH **31.5** INCHES

AVAILABLE WITH:

XS STOCK WITH BUILT-IN ACUDRAW (OPTIONAL)
Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

TACTICAL STOCK WITH ROPE-SLED (OPTIONAL)
Locks in six positions & allows for up to 2 1/2" of adjustability in 1/2" increments.

FEATURES:

PRO-VIEW LIGHTED SCOPE
Includes lighted colored dots (red & green) with aimpoints out to 60-yards.

PRE-SIGHTED AT 20-YARDS
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

SPECIFICATIONS

SPEED **380** FPS WEIGHT **5.8** POUNDS WIDTH **9.5** INCHES

AVAILABLE WITH:

BUILT-IN ACUDRAW (OPTIONAL)
Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

LIGHTWEIGHT STOCK WITH ROPE-SLED (OPTIONAL)

FEATURES:

MULTI-LINE SCOPE
Offers aimpoints out to 50-yards & features fully coated 4x optics.

LIGHTWEIGHT 5.8-POUNDS & COMPACT PROFILE
More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.


BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.



RDX 410™
INVADER M1™

COMMANDER M1™ RAMPAGE XS™



	FURY 410 SAFE DE-COCKING	NEW RDX 410	RAIDER 400 SAFE DE-COCKING	NEW INVADER M1	RAMPAGE XS	NEW COMMANDER M1
--	------------------------------------	--------------------	--------------------------------------	-----------------------	-------------------	-------------------------

LENGTH WITHOUT FOOT-STIRRUP	29"	29"	31.5"	32"	31.5"	34.5"
WIDTH UNCOCKED / COCKED	15" / 9"	15" / 9"	19" / 15"	14" / 9.5"	19" / 15"	14" / 9.5"
POWER STROKE	15.5"	15.5"	13.5"	13.8"	13.5"	13.8"
DRAW WEIGHT	200	200	185	190	175	180
WEIGHT WITHOUT ACCESSORIES	7.5 lbs.	7.5 lbs.	5.8 lbs.	5.8 lbs.	5.8 lbs.	5.8 lbs.

PERFORMANCE

FEET-PER-SECOND / FOOT-POUNDS KE

PRO LITE 370-GRAINS	410 / 138	410 / 138	400 / 132	390 / 125	390 / 125	380 / 119
WR MATCH 400 CARBON 410-GRAINS	400 / 146 (Supplied arrow speed / KE)	400 / 146 (Supplied arrow speed / KE)	390 / 138 (Supplied arrow speed / KE)	380 / 131 (Supplied arrow speed / KE)	380 / 131 (Supplied arrow speed / KE)	370 / 125 (Supplied arrow speed / KE)
SCOPE	RangeMaster Pro	Pro-View 400	Pro-View	Pro-View 400	Pro-View	Multi-Line
PACKAGE INCLUDES	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows
COCKING DEVICE & ITEM NUMBER	ACUdraw De-Cock: WR22060-4518	ACUdraw Silent: WR24060-4556	ACUdraw De-Cock: WR23005-4528 Rope-Sled De-Cock: WR23005-4525	ACUdraw: WR24005-4552	ACUdraw: WR23015-4522 Rope-Sled: WR23015-4525	ACUdraw: WR24003-9532 Rope-Sled: WR24003-9534



NOCKS

ALPHA-NOCK HP & NEW ALPHA-NOCK HPX

DESIGNED FOR INCREASED STRING-TO-NOCK ENGAGEMENT & SAME HOLE DOWN-RANGE ACCURACY.

TenPoint's Alpha-Nock HP & **NEW** Alpha Nock HPX features a deep bowstring groove, a large smooth radius base, & elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the nock resulting in straight nock travel & precision down-range accuracy, while minimizing string serving wear.

The nock's deep channel design increases the string to-nock engagement by 28% & "holds" the bowstring in place during the shot which prevents "shoot-over" or "shoot-under".

The **NEW** Alpha-Nock HPX features a Nock Retention Groove that snaps into the TriggerTech trigger box on the TRX 515 & TX 440 allowing the user to both hear & feel the positive engagement of the nock to the string.

NOTE: The Alpha-Nock HPX is required for use with TenPoint rail-less crossbows (TRX 515 & TX 440).

NOTE: The Alpha-Nock HPX is compatible with all TenPoint & Wicked Ridge crossbows.

LIGHTED NOCKS

ALPHA-BLAZE & NEW ALPHA-BLAZE HPX

TenPoint's Alpha-Blaze & **NEW** Alpha-Blaze HPX Lighted Nock contain a one-piece Nock/LED unit that is indexed with the vanes & press fits into the arrow's Aluminum Bushing. Upon firing the crossbow, the bow string pushes the nock fully into the bushing & activates the LED light.

Deactivate the easy on/off lighted nock by pulling the nock straight out until the light turns off. The LED light system lasts for approximately 24 hours when activated.


The lighted nock fits into TenPoint & Wicked Ridge arrows equipped with an HP Aluminum Bushing (sold separately).

BE SURE THE NOCK'S RAISED LINE INDEXING FEATURE IS PROPERLY ALIGNED WITH THE ODD COLORED VANE ON YOUR ARROW.

* All TenPoint & Wicked Ridge crossbows require the use of an Alpha-Nock HP or Alpha-Nock HPX Arrow. Failure to do so will void the manufacturer's warranty.

* All TenPoint rail-less crossbows require the use of an Alpha-Nock HPX Arrow (TRX 515 & TX 440). Failure to do so will void the manufacturer's warranty.

HEA-379.3	3-pack Alpha-Blaze Lighted Nock for HP Bushing – Green
HEA-380.3R	3-pack Alpha-Blaze HPX Lighted Nock for HP Bushing – Red (required for TenPoint rail-less crossbows) not shown



ARROWS & LIGHTED ARROWS

NEW TENPOINT CENTERPUNCH HPX LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 445-GRAINS (+/- 1-GRAIN) / BALANCED AT 15.5% FOC / .001" STRAIGHTNESS

Measuring 20-inches in length, weighing 445-grains, & featuring 15.5% FOC, the CenterPunch HPX is spine-aligned to the odd color vane & is TenPoint's most accurate 20" arrow. Each arrow is inspected for straightness to within .001" & each package is weight-grain matched within 1-grain per arrow. Featuring a unidirectional carbon inner layer for stiffness, & a woven carbon fiber outer layer for impact strength, the arrow is equipped with the patented Alpha-Nock HPX. The **NEW** Alpha-Nock HPX features a Nock Retention Groove that snaps into the TriggerTech trigger box on the TRX 515 & TX 440 allowing the user to both hear & feel the positive engagement of the nock to the string – indicating your arrow is properly locked & loaded in the crossbow. In addition, the "snap-in" design of the Nock Retention Groove eliminates the fit disadvantages & string wear associated with "snap-on" nock designs.

TENPOINT EVO-X CENTERPUNCH LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 445-GRAINS (+/- 1-grain) / BALANCED AT 15.5% FOC / .001" STRAIGHTNESS

Spine-aligned to the odd color vane, the CenterPunch 20-inch arrow is fletched slightly offset & is fitted with an 87-grain insert & TenPoint's Alpha-Nock HP & Alpha-Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) & wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 & each package is weight-grain matched with-in 1-grain per arrow.

TENPOINT EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS

16-INCH / 410-GRAINS (+/- 1-grain) / BALANCED AT 17% FOC / .001" STRAIGHTNESS

Designed for crossbows requiring a 16-inch arrow, the CenterPunch 16-inch arrow is fletched slightly offset & is fitted with an 87-grain insert & TenPoint's Alpha-Nock HP & Alpha-Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) & wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 & each package is weight-grain matched with-in 1-grain per arrow.

TENPOINT PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 410-GRAINS (+/- 5-grains) / BALANCED AT 13% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Pro Elite shafts are inspected for straightness to within .003" & hand-sorted for weight tolerance to within 2-grains per dozen.

NOTE: Alpha-Brite lighted arrows come with original Alpha-Nocks.

WICKED RIDGE MATCH 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 410-GRAINS (+/- 5-grains) / BALANCED AT 13% FOC / .004" STRAIGHTNESS

The Match 400 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Match 400 shafts are inspected for straightness to within .004" & hand-sorted for weight tolerance to within 2-grains per dozen.

WICKED RIDGE XX75 LIGHTED & NON-LIGHTED ALUMINUM ARROWS

20-INCH / 460-GRAINS / BALANCED AT 10% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset & is fitted with a 13-grain carbon insert, 3.5" Bohning X Vanes™, & TenPoint's Alpha-Nock & Alpha-Nock HP Nock Bushing.

NOTE: Alpha-Brite lighted arrows come with original Alpha-Nocks.

ARROW COMPATIBILITY CHART

ARROW:	FOR USE WITH:	CROSSBOW COMPATIBILITY:
20" CenterPunch HPX	Required for TenPoint Rail-less Crossbows	All TenPoint & Wicked Ridge
20" CenterPunch	Most TenPoint & Wicked Ridge Crossbows	Most TenPoint & Wicked Ridge
16" CenterPunch	TenPoint Crossbows Requiring 16-Inch Arrows	TenPoint Crossbows Requiring 16-Inch Arrows
Pro Elite 400	Most TenPoint & Wicked Ridge Crossbows	Most TenPoint & Wicked Ridge
Match 400	For Use with All Wicked Ridge Crossbows	All Wicked Ridge Crossbows
XX75 Aluminum	For Use with All Wicked Ridge Crossbows	All Wicked Ridge Crossbows



BROADHEADS

NEW TENPOINT NEMESIS

4-BLADE EXPANDABLE BROADHEAD

The 100-grain Nemesis Broadhead is designed for maximum penetration & hemorrhage, cutting a 2-blade, 2" entry wound & a 4-blade, 2" x 1.75" exit hole for a devastating total cut of 3.75". Designed to transfer the extra energy of today's fastest crossbows into more lethal power, the Nemesis is the most accurate mechanical broadhead & inflicts more damage to create a larger hole, more blood loss, & better blood trails for a faster recovery.




HEA-804.3 Nemesis Broadhead (3-pack)

TENPOINT CENTERPUNCH

2-BLADE EXPANDABLE BROADHEAD

Designed for strength, the 100-grain, rear-deploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy & a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, & scalpel sharp blades stay closed during flight – creating massive wound channels & leaving huge blood trails.



HEA-800.3 CenterPunch Broadhead (3-pack)

TENPOINT MONTEC

3-BLADE FIXED BROADHEAD

Built exclusively for TenPoint by G5, this one-piece, 100-grain broadhead is designed for maximum strength & pin-point accuracy, & features a three-blade, cut-on-contact design with a devastating 1 1/8" cut.




HEA-801.3 Montec Broadhead (3-pack)

WICKED RIDGE IMPACT

2-BLADE EXPANDABLE BROADHEAD

Designed for precision, durability, & performance at a great value, the 100-grain, 2-blade, rear-deploying Impact broadhead features a steel construction & a simple, collarless design that delivers field point accuracy & a devastating 2" cut. Its stainless-steel ferrule & ultra-strong bone-crushing tip deliver massive wound channels & huge blood trails, while its floating blade design ensures the blades do not open in-flight.




HEA-803.3 Impact Broadhead (3-pack)

CROSSBOW CASES

HALO BOWPACK

THE INDUSTRY'S FIRST CROSSBOW BACKPACK- PERFECT TRANSPORT TO STAND OR BLIND.




HCA-20120 HALO Bowpack - Custom Designed for TenPoint's Havoc R5440, Siege R5410, Siege 425, Flatline 460, & TX 440
DIMENSIONS: Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"



WICKED RIDGE AMBUSH CROSSBOW BOWPACK

THE INDUSTRY'S MOST AFFORDABLE BOWPACK DESIGNED FOR WICKED RIDGE CROSSBOWS.



WRA221 AMBUSH Bowpack - Custom Designed for most 2019 Wicked Ridge Models 33" long or shorter
DIMENSIONS: Pack Length: 33" | Pack Width 19" | Pack Depth 11"



STAG CASE

Designed for maximum protection & durability, these rigid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook & loop straps to secure the crossbow during travel, & storage for a quiver that also includes straps. If used with TSA approved locks, the case is TSA compliant.



TenPoint STAG Case / Black / Fits all of TenPoint's 2019 & newer crossbow line-up (except models with Rangefinding scopes)
HCA-20318
DIMENSIONS: Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 18" / Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior Depth: 10.25"

SOFT CASES

These ultra-durable soft cases ensure protection needed for travel &/or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), & zippered compartment(s) for accessories.



Narrow Soft Case / Black / Fits all of TenPoint's 2019 & newer crossbow line-up
HCA-20119
DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"
WRA220
Wicked Ridge Soft Crossbow Case / Black / Fits 2018 & newer Wicked Ridge crossbows (except Ranger & Lady Ranger models)
DIMENSIONS: Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"

NEOPRENE SLINGS

Featuring an extra-strong 1.25-inch wide shoulder strap, thumb loop, & a non-slip design. Equipped with custom swivels & heavy-duty adjustable strap.




HCA-004 TenPoint
WRA004 Wicked Ridge

NEW AXIS™ TRIPOD

Designed specifically for blind hunting, the Axis Tripod uses less than 1/2 the floor space of competitor tripods – allowing for more equipment & shooting coverage in the tight confines of a blind where inches make the difference.

Weighing 50% less than competitor tripods, the Axis Tripod makes packing & carrying your hunting kit to your blind easier than ever. The Axis collapses down to 25" & extends up to 40" tall.

The tripod's clamp-on design allows for use with both crossbows & firearms. Keep your crossbow trained on your game with the ability to take your weapon from locked to full traverse with only a quarter-turn of the lock-knob.



HCA-038 Axis Tripod



LEVEL
CLAMP-ON DESIGN FOR CROSSBOW & FIREARMS
1/4-TURN LOCK KNOB

NEW ALIGN™ 800 RANGEFINDER

Pinpoint hunting precision is only possible when you know the exact distance for the shot. The Align 800 combines 1-yard accuracy with angle compensation to provide you with the exact distance to the target. The multi-coated lenses offer a crisp, bright image in low light. Includes pouch, lanyard, & lens cloth. Well concealed in Vektra camo.

Range: 5-800-Yards | Accuracy: +/- 1-yard | Angle Compensation | 6x Magnification | 24 mm | LCD Display | Weight: 8 oz. | Size: 1.6" x 4.25" x 3"

HCA-094 Align 800 Rangefinder



SCOPES

EVO-X® MARKSMAN™ ELITE

RETICLE: 20-100-YARDS

The brightest & most accurate variable speed crossbow scope on the market, this scope features a variable speed & arrow drop-compensation setting for crossbows that shoot between 380 & 550 FPS. Its innovative configuration, consisting of three illuminated (red or green) duplex crosshairs calibrated at 20-, 40-, & 60-yards, two illuminated (red or green) dots at 30- & 50-yards, & four non-illuminated chevrons at 70-, 80-, 90-, & 100-yards, presents the shooter with a simplified aiming system. Offered in black or Veil Alpine camo, the scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-8x optics that increase field-of-view & brightness in low light settings. External, micro-adjustable target turrets provide easy adjustment to windage & elevation for unmatched long-range accuracy.



HCA-095.3VA	EVO-X Marksman Elite Scope with flip-up scope caps – Veil Alpine™ (not shown)
HCA-095.3	EVO-X Marksman Elite Scope with flip-up scope caps – Black

RANGEMASTER™ 100

RETICLE: 20-100-YARDS

This waterproof & fog-proof scope features a variable speed & drop-compensation setting for crossbows that shoot between 380 & 505 FPS. The configuration consists of nine aiming points in 10-yard increments - three illuminated dots calibrated at 20-, 30-, & 40-yards, three illuminated crosshairs at 50-, 60-, & 70-yards, & three illuminated chevrons at 80-, 90-, & 100-yards. An infinite-position rheostat controls the light intensity of the red or green illuminated dots/crosshairs/chevrons. The scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-7x optics (scope magnification dictated by arrow speed) that increase field-of-view & brightness in low light settings.



HCA-09812	RangeMaster 100 Scope with flip-up scope caps
-----------	---

NEW PRO-VIEW™ 400

RETICLE: 20-70-YARDS

Illuminated for lowlight precision & featuring aim points out to 70-yards, the 4x Pro-View 400 lighted scope features an enhanced reticle that provides a cleaner view for the shooter leading to greater down-range accuracy.



HCA-097-4	Pro-View 400 Scope with flip-up scope caps
-----------	--

MULTI-LINE

RETICLE: 20-50-YARDS

Only 8.5-inches long, this compact scope features fully-coated 4x optics & three duplex crosshairs calibrated for 20, 30, & 40-yards, & a fourth partial line for 50-yard shots. Scope mounting rings included.



HCA-090	Multi-Line Scope
---------	------------------

ACCESSORIES & MAINTENANCE


REPLACEMENT CRANK HANDLES



HCA-447	XTEND Short Crank Handle (Compatible with ACUslide crossbows)
HCA-448	ACUdraw DC Crank Handle (Compatible with Titan De-Cock, Fury 410 De-Cock, & Raider 400 De-Cock)
HCA-430	Crank Handle (Compatible with ACUdraw & ACUdraw PRO)
NEW HCA-441	6-Inch ACUslide MAXX / ACUslide / ACUdraw De-Cock Crank Handle

STEDDYEDDY® [PATENTED]

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection & clamps under your stock when not in use.



HCA-030	SteadyEddy Crossbow Monopod System (compatible with TenPoint & Wicked Ridge crossbows)
---------	--

BEDNAR PERFECT PULLER® 2.0 [PATENTED]

Named for & originally designed by the late Hall of Fame Archer Bill Bednar, the Bednar Perfect Puller 2.0 doubles up as an easy-to-use arrow puller & Alpha-Blaze Lighted Nock Deactivator. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow & compound arrows.



HCA-10423	Bednar Perfect Puller (with interchangeable grippers)
-----------	---

COCKING DEVICES

ACUDRAW

HCA-001-AD	ACUdraw
------------	---------

ACUSLED

HCA-000-AS	ACUshed (Not for use on TenPoint reverse-draw crossbows)
------------	--

ACUDRAW 50

HCA-000-A50	ACUdraw 50 (Patented) (Not for use on ultra-narrow or reverse-draw crossbows)
-------------	---

TENPOINT STRING WAX & CONDITIONER

Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates & rejuvenates bow strings & cables.



HCA-11007	TenPoint String Wax & Conditioner
-----------	-----------------------------------

LUBRICANTS

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt & grime. Recommended for strings, cables, cocking device cords, & barrel. Both feature Scorpion Venom™ Premium Lubricant.



HCA-111	Flight Rail & Trigger Lube (tube)
HCA-112	Premium Lubricant with Foam Applicator (bottle)

2024 STRING & CABLE REFERENCE GUIDE

The following models require a complete upgrade. Please contact the Customer Experience Team at 330-628-9245 for more information:

Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7 & Maxim

TENPOINT

MODELS	STRINGS	CABLES
Turbo Extreme, Magnum Extreme, Hybrid Lite & Elite Lite	HCA-115	HCA-124
Elite X2, Magnum X2, Stealth X2, Turbo X2, Deerslayer, Pro Elite, Elite, Elite QX-4 & QX-4	HCA-115	HCA-124
Pro Fusion, Pro Slider, Titan TL-9, Titan HLX, Maverick HP, Pro Elite HP, Blazer HP & Lazer HP	HCA-115	HCA-124
Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS & Carbon Fusion CLS	HCA-11607	HCA-12307
Stealth XLT & Turbo XLT	HCA-12110	HCA-12710
Turbo XLT II, Carbon Elite XLT, Stealth SS & Instinct Order	HCA-12112	HCA-12912
Shadow Ultra-Lite, Lady Shadow, Tactical XLT, Turbo GT & Renegade XLT	HCA-12112-R	HCA-12912-R
Titan Xtreme	HCA-11712	HCA-12612
GT Curve, GT Flex & GT Mag	HCA-12008	N/A
Vapor	HCA-11813	HCA-12813
Venom	HCA-12014	HCA-12514
Stealth FX4 & Venom Xtra	HCA-12015-O	HCA-12515-O
Titan SS & Renegade	HC-11716-S	HCA-12616-S
Carbon Nitro RDX	HCA-12216-R	HCA-13116-R
Carbon Phantom RCX, Eclipse RCX & Titan RCX	HCA-70117	HCA-70017
Titan CLS	WRA183	WRA163
Vengent S440, Stealth NXT, Shadow NXT, NXT 400, Stealth 450	HCA-70319	HCA-70418
Vapor RS470, Havoc RS440, Siege RS410, XR-410, Nitro XRT, Nitro X & Siege 425	HCA-70318	HCA-70419
Nitro 505 & Flatline 460	HCA-70318	HCA-70419
Viper S400* & Turbo S1** - see serial numbers below for exceptions	HCA-70319	HCA-70418
*Viper S400 serial number: 0041.005810 or higher	HCA-70319	HCA-70419
**Turbo S1 serial number: 0051.005243 or higher/0042.007498 or higher	HCA-70319	HCA-70419
Turbo M1, Titan M1 & Titan De-Cock	HCA-11619-S	HCA-11619-C
Viper 430	HCA-70319	HCA-70419
Titan 400 & Venom X	HCA-11621	HCA-11622
TX 440	HCA-70321	HCA-70421
TRX 515	HCA-70320	HCA-70420


WICKED RIDGE

MODELS	STRINGS	CABLES
Invader & Invader HP	WRA182	WRA162
Warrior & Warrior HL	WRA182	WRA162
Raider CLS	WRA183	WRA163
Ranger, Lady Ranger & Brood	HCA-13215-O	HCA-13315-O
Invader G3 & Warrior G3	HCA-13216-OB	HCA-13316-OB
Invader 400, Rampage 360, Rampage XS, Invader X4, Warrior Ultra-Lite, Ranger X2, Blackhawk 360, Blackhawk XT, Woodsman 360, Carbon Woodsman 375 & Raider 400 De-Cock	HCA-75117	HCA-75017
M-370, Commander M1 & Invader M1	HCA-11619-S	HCA-11619-C
RDX 400, Fury 410 De-Cock & RDX 410	HCA-13419-S	HCA-13419-C
NXT400	HCA-70319	HCA-70418

HORTON

MODELS	STRINGS	CABLES
Storm RDX	HCA-12215	HCA-13115
Vortec RDX	HCA-72717	HCA-72617
Legend Ultra Lite	HCA-11716-R	HCA-12616-S





WWW.TENPOINTCROSSBOWS.COM

These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/.
NOTE: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

1325 Waterloo Road • Mogadore, OH 44260-9608
Phone: 330.628.9245 • Fax: 330.628.0999

2024
A NEW ERA